

## 30 inch Dual Fuel, 5 Burners, Electric Oven - Gold Accents Master Series

\$ 3.499



### MAS305DFMBG

The new Bertazzoni ranges are superb cooking appliances designed, engineered and made in Italy. All Bertazzoni appliances integrate seamlessly into style-harmonized suites for a true, high-performing kitchen.

The high-efficiency maintop with 5 burners features a dual ring 19,000 BTU power-burner that boils water in under 6 minutes (best in class), and 4 additional MonoBloc burners of variable size and power to suit every style of cooking, with delicate simmer at 750 BTUs.

The 4.7 cubic feet oven cavity is the largest in its class, with dual convection fan for balanced airflow and even temperature baking and roasting on 7 shelf levels. The elegant temperature gauge for control of oven temperature during pre-heating and baking is a signature of every Bertazzoni range. The extra wide electric broiler with optional convection is ideal for grilling and searing at high heat. The oven includes convenient soft-motion doors. The edge-to-edge interior oven glass door maximizes interior volume and can be wiped clean without effort.

The fingerprint resistant finish on all knobs, handles, and stainless steel oven door surfaces makes cleaning a breeze.

Master Series Bianco and Nero Matt ranges feature the Collezione Metalli Gold Décor Set, with integrated satin gold handle finials and knobs that give the range a distinctive aesthetic signature. These refined accents enhance the contemporary finish, combining understated luxury with Bertazzoni's timeless Italian design.

All Bertazzoni appliances are covered by a 2-year warranty.



# Specifications

## Features

### Worktop

|                            |  |
|----------------------------|--|
| Size                       | 30 in                                      |
| Cooking zones              | 5  |
| Number of gas burners      | 5 burners                                  |
| Worktop type               | gas  |
| Worktop design             | stainless steel with seamless edges        |
| Worktop controls           | metal knobs                                |
| Knobs                      | metal                                      |
| Burner type                | aluminum + brass medallion on power burner |
| Grates                     | cast iron                                  |
| Continuous grating         | yes  |
| Thermocouple safety device | yes  |
| One-hand ignition          | yes  |
| Backguard                  | yes  |
| Wok ring                   | yes  |
| Simmer ring                | yes  |

### Cooking zones

|               |                         |
|---------------|-------------------------|
| Power burners | 1300 BTU - 19000 BTU    |
| Rapid burner  | 2500 BTU - 10400 BTU    |
| Medium burner | 2 x 1500 BTU - 5900 BTU |
| Simmer burner | 750 BTU - 3500 BTU      |

### Oven cavity

|                        |                      |
|------------------------|----------------------|
| Oven configuration     | single               |
| Oven fuel              | electric             |
| Oven convection system | dual horizontal fans |
| Oven type              | electric convection  |
| Oven broiler type      | electric             |
| Oven levels            | 7                    |

|                       |   |
|-----------------------|---|
| Cooking modes         | bake / bottom bake / broil / convection / convection bake / convection broil / dehydrate / fast preheat / pizza / proofing / upper bake / warming |
| Oven volume           | 4.7 ft <sup>3</sup>   |
| Oven controls         | knobs   |
| Inner oven door       | triple glass  |
| Removable inner glass | yes   |
| Cooling fan           | yes   |
| Door hinges           | soft-motion   |
| Wire-shelves          | 2 full size (with 1 telescopic glide)   |
| Tray                  | 1 baking tray with grill trivet   |
| Grill trivet for tray | yes   |
| Oven lights           | double side mounted   |

**Bottom**

|      |                 |
|------|-----------------|
| Legs | stainless steel |
|------|-----------------|

**Technical specifications**

|                      |   |
|----------------------|---|
| Absorbed current (A) | 20 A with dedicated circuit                         |
| Electrical supply    | 120/240V 60 Hz - 3700W or<br>120/208V 60 Hz - 2900W |

**Dimensions**

